



CM 08-02

Steeler Standards

RULES: USPSA Rule Book, Current Edition

COURSE DESIGNER: George Jones


START POSITION: Standing in Box A, hands above shoulders. Handgun is loaded and holstered as per ready condition in rule 8.1.1 and 8.1.2.

STAGE PROCEDURE

- String 1: From Box A only, engage T1-T4 with only one round each freestyle, then perform a mandatory reload, then re-engage T1-T4 with one round each freestyle.
- String 2: From Box A only, engage T1-T4 with only one round each freestyle, then perform a mandatory reload, then re-engage T1-T4 with one round each strong hand only.
- String 3: From Box A only, engage T1-T4 with one round each weak hand only.

SCORING

- SCORING:** Virginia Count, 20 rounds, 100 points
- TARGETS:** 4 Classic
- SCORED HITS:** Best 5/paper
- START - STOP:** Audible - Last shot
- PENALTIES:** Per current edition of USPSA Rule Book.



SETUP NOTES: T1 and T2 are 4.5 feet high at top of target. Set targets T1 and T2 six inches apart edge to edge. T3 and T4 are 4 feet high at top of target. Box A is 3 feet by 3 feet.




Stage 2

Hoser

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Andy Bebeau

START POSITION: Standing in Box A with hands naturally at sides. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.	
STAGE PROCEDURE On Start Signal, draw and engage targets as they become visible from Box A or within the fault lines.	SCORING SCORING: Comstock, 26 rounds, 130 points TARGETS: 13 IPSC SCORED HITS: Best 2 per IPSC START-STOP: Audible - Last shot PENALTIES: Procedural. -10 No-shoot hit. -10 Miss. -10




SETUP NOTES: Set T13 behind the barrel so that it can only be seen from right end of shooting area. T9-T12 are set so that they can only be seen through the port.	RO NOTES: None.
---	------------------------

Stage 3

Max Trap Star

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Bud Connolly

<p>START POSITION: Standing in Box A with hands relaxed at sides. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.</p>	
<p>STAGE PROCEDURE</p> <p>On Start Signal, draw and engage targets as they become visible.</p> <p>If both feet fault the line while engaging the Texas Star, you will be stopped and the stage will be scored.</p>	<p>SCORING</p> <p>SCORING: Comstock, 22 rounds, 110 points</p> <p>TARGETS: 8 IPSC, 1 PP, 5 Plates</p> <p>SCORED HITS: Best 2 per IPSC, steel down = 1A</p> <p>START-STOP: Audible - Last shot</p> <p>PENALTIES: Procedural. -10 No-shoot hit. -10 Miss. -10</p>



<p>SETUP NOTES: T1-T3 only visible through port. Texas Star and PP1 set against the back berm. Fault line is 8 yards from star. Use barrels to prevent PP1 from being engaged outside of Box A.</p>	<p>RO NOTES: None.</p>
--	-------------------------------

Stage 4

Carry the Load

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Mike McCarter


START POSITION: Standing in Box A with ammo can in strong hand. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.

STAGE PROCEDURE

On Start Signal, draw and engage targets as they become visible.
Dropping ammo can in box activates swingers T1 & T2. The swingers must be activated by shooter dropping the ammo can into box.

SCORING

SCORING: Comstock, 20 rounds, 100 points
TARGETS: 10 IPSC
SCORED HITS: Best 2 per IPSC, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
No-shoot hit. -10
Miss. -10



SETUP NOTES: T7-T10 can only be seen from Box A.
T3-T6 can only be engaged in opening between the walls. T1 & T2 are set behind the No Shoot to start.

RO NOTES: Swinger T1 is activated from T2. Loop cable over the top screwdown.