



CM 99-28

Hillbillton Drill

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Joe Cabigas—Modifications by US Design Team


START POSITION: Standing in Box A facing targets with both wrists above respective shoulders. Handgun is loaded and holstered as per ready condition in rule 8.1.1 and 8.1.2.

STAGE PROCEDURE

Upon start signal, from Box A, engage only T1-T3, perform a mandatory reload, and from Box A engage PP1-PP6.

SCORING

SCORING: Comstock, 12 rounds, 60 points
TARGETS: 3 IPSC, 6 Pepper poppers
SCORED HITS: Best 2/paper, KD = 1 A
START - STOP: Audible - Last shot
PENALTIES: Per current edition of USPSA Practical Shooting Handbook.
Failure to perform the mandatory reload will result in one procedural penalty per shot fired.



SETUP NOTES: Angle T1-T3 toward shooting Box A with right edge of each target placed at distances indicated. Box A is 3 feet by 3 feet. Set paper targets and no-shoots to 5 feet high at shoulders. No-shoots



are set with edges touching the next no-shoot. The array is then centered with the middle no-shoot centered on the center line.

Stage 2

START Here

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Bud Connolly


START POSITION: Facing downrange with heels on marks and hands relaxed at sides. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.

STAGE PROCEDURE

On signal, draw and engage T1-T7 with two (2) rounds each and knock down PP1-PP3 and P1-P5.

SCORING

SCORING: Comstock, 22 rounds, 110 points
TARGETS: 7 IPSC, 3 PP, 5 Plates
SCORED HITS: Best 2 per IPSC, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
No-shoot hit. -10
Miss. -10



SETUP NOTES: Texas Star is 8 yards from the nearest Fault Line and placed as close to the berm as practical. Set PP1-PP3 as close to back berm as practical. Set T4 and PP2 so that shooter must go to each corner to engage them. Use barrels to protect the T-posts on tight shots. Set T1 & T2 to avoid shoot throughs to stage 1.

RO NOTES: Run this stage after Stage 1 – CM 99-28 Hillbillton Drill has completed. That will ensure that the steel is down and not visible on this stage.

Stage 3

ZZ

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** James P. McKenzie


START POSITION: Seated at the table with both hands flat on table. Handgun is loaded and placed on table with trigger guard over the mark and muzzle pointed downrange.

STAGE PROCEDURE

On signal, retrieve handgun and engage T1-T6 with two (2) rounds each and knock down PP1-PP4.

SCORING

SCORING: Comstock, 16 rounds, 80 points
TARGETS: 6 IPSC, 4 PP
SCORED HITS: Best 2 per IPSC, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
No-shoot hit. -10
Miss. -10



SETUP NOTES: Set PP1-PP4 as close to back berm as practical. Set T4 to force shooter to enter forward shooting area. T1 & T2 are only available from left Fault Line. T6 is only visible through the port hole. Find a section of fence with a port hole or create a new port hole.

RO NOTES: Watch for foot faults.

Stage 4

Jeff 13

RULES: Practical Shooting Handbook, Latest Edition **COURSE DESIGNER:** Jeff Whitaker


START POSITION: Standing anywhere within the Shooting Area with hands relaxed at sides. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.

STAGE PROCEDURE

On signal, draw and engage T1-T13 with two (2) rounds each when visible.

SCORING

SCORING: Comstock, 26 rounds, 130 points
TARGETS: 13 IPSC
SCORED HITS: Best 2 per IPSC
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
No-shoot hit. -10
Miss. -10



SETUP NOTES: Back walls come straight back. Use a barrel at each end to keep shooter away from the end of the wall. Watch for shoot throughs to stage 3 on T1-T5.

RO NOTES: Run this stage after Stage 3 – ZZ has completed to ensure that the steel is down and not visible.