

CM 99-23

Front Sight

RULES: USPSA Handgun Competition Rules, current edition COURSE DESIGNER: P.R. Metcalf—Modification by US Design Team

START POSITION: Standing in Box A, boths arms hanging relaxed at sides or both wrists above respective shoulders shooter's choice. Handgun is loaded and holstered as per ready condition in rule 8.1.1 and 8.1.2.

STAGE PROCEDURE

String 1. Start facing uprange. Upon start signal, turn, from Box A engage T1-T3 with only two rounds per target.

String 2. Start facing targets, hand position opposite of string one, upon start signal, from Box A, engage T1-T3 with only two rounds per target.


SCORING

SCORING: Virginia Count, 12 rounds, 60 points

TARGETS: 3 Metric SCORED HITS: Best 4/paper START - STOP: Audible - Last shot

PENALTIES: Per current edition USPSA Handgun

Competition Rules



SETUP NOTES: Set paper targets to 5 feet high at shoulders. Box A is 3 feet by 3 feet. Angle T1 and T3 to face shooting box.



Stage 2 Two Clams

RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: Phil McKenzie

START POSITION: Standing within the shooting area with hands placed over the X marks. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.

STAGE PROCEDURE

On signal engage T1-T5 with two with (2) rounds each, knock down PP 1 - 2 and knock down MP 1- 2. To expose T1 to engage knock down PP1. To expose T3 knock down PP2.

SCORING

SCORING: Comstock, 18 rounds, 90 points


TARGETS: Metric, PP & MP

SCORED HITS: Best 2 per paper, steel down = 1A

START-STOP: Audible - Last shot

PENALTIES: Per current edition of Rule Book:

Procedural. -10 No-shoot hit. -10 Miss. -10



SETUP NOTES: Dimensions on drawing are estimates. Location of targets will be placed for optimal engagement.

RO NOTES: Watch for foot faults.

RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: Phil McKenzie

START POSITION: Standing inside the fault lines with hands relaxed at sides & heals touching marks. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.

STAGE PROCEDURE

On signal engage T1-T7 with two (2) rounds each, knock down Mini P 1-2 and 5 steels plates.


SCORING

SCORING: Comstock, 21 rounds, 105 points **TARGETS:** Metric, Mini Popper and Steel plate **SCORED HITS:** Best 2 per paper, steel down = 1A

START-STOP: Audible - Last shot

PENALTIES: Per current edition of Rule Book:

Procedural. -10 No-shoot hit. -10 Miss. -10



SETUP NOTES: Dimensions on drawing are estimates. Location of targets will be placed for optimal engagement. T1-T5 should be placed as close to the left bunker as practical. Maintain 3feet from walls to fault line, Angle walls for best engagement. Barrel placement should force shooter to move to engage targets & the Star.

RO NOTES:

Stage 4 Mask

RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: Phil McKenzie

START POSITION: Standing within the fault lines with hands relaxed at sides & heals touching marks. Handgun is loaded and holstered as per ready condition in rule 8.1.1 or 8.1.2.

STAGE PROCEDURE

On signal engage T1-T14 with two (2) rounds each.

SCORING

SCORING: Comstock, 28 rounds, 140 points


TARGETS: Metric

SCORED HITS: Best 2 per paper, steel down = 1A

START-STOP: Audible - Last shot

PENALTIES: Per current edition of Rule Book:

Procedural. -10 No-shoot hit. -10 Miss. -10



SETUP NOTES: Dimensions on drawing are estimates. Location of targets will be placed for optimal engagement. Maintain 3 feet from the walls to fault line. Place barrels to guard against breaking 180. T9 – T12 should be set for the shooter to have an angle to shoot from the center gap between walls.

RO NOTES: Watch for shooter reverse movement & foot faults.