CM 18-09 I Miss That Kind of Clarity


RULES: USPSA Handgun Competition Rules, current edition. Course Designer: Nationals Design Team

STAGE PROCEDURE

Strings 1 and 2: On the audible start signal, engage any 3 targets with only 2 rounds each, perform a mandatory reload, and engage remaining 3 targets with only 2 rounds each from within the shooting area.

Scoring:	Virginia, 24 rounds, 120 points	
Targets:	6 USPSA Targets	
Scored Hits:	Best 4/paper	
Start - Stop:	Audible - Last Shot	
Penalties:	Per current edition of USPSA	
	Handgun Competition Rules.	







SETUP NOTES: Set targets 5 feet to top.
MATERIALS LIST: (4) 4 ft x 6 ft or more walls, (4) 2 x 2 x 8 ft fault lines (2) 2 x 2 x 4 ft fault lines, (6) Target Stands (12) 1 x 2 x 5 ft Target Sticks, (6) USPSA Targets



I Miss That Kind Of Clarity is a 24 round, 120-point, Virginia Count Standard Exercise. There are 6 USPSA targets. The best 4 hits per paper will score.

The handgun start position is standing inside shooting area, with heels on rear fault line for String 1 and toes on front fault line for String 2, wrists below belt with handgun loaded and holstered.

The PCC start position is standing inside shooting area, with heels on rear fault line for String 1 and toes on front fault line for String 2, holding loaded PCC, stock on belt, and muzzle pointing downrange.


String 1 and 2: On the audible start signal from within shooting area, engage any 3 targets with only 2 rounds each, perform a mandatory reload, and engage remaining 3 targets with only 2 rounds each.








CM 18-09 I Miss That Kind of Clarity







CM 18-09 I Miss That Kind of Clarity



All Targets are USPSA





Swiped


RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: Bud Connolly

 START POSITION: Standing facing downrange with toes on either set of marks. Handgun is loaded and holstered.

 PCC is loaded with safety on and held in both hands, shouldered with muzzle pointed at cone on opposite side of shooting area.

 STAGE PROCEDURE
 SCORING

STAGE PROCEDURE	SCORING
On signal, engage T1-T11 with two rounds each from within	SCORING: Comstock, 22 rounds, 110 points
the shooting area.	TARGETS: 11 USPSA
	SCORED HITS: Best 2 per USPSA
	START-STOP: Audible - Last shot
	PENALTIES: Procedural10
	Miss10



SETUP NOTES: Ensure targets are behind a wall and cannot be engaged past the 180. T6 and the far wall are set to force the shooter to one of the front corners to engage.

Stolen

RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: Bud Connolly


START POSITION: Standing facing downrange with heels on either start stick and wrists below belt. Handgun is loaded and holstered.

PCC is loaded with safety on and held in both hands, with butt on belt and muzzle pointed at cone.

STAGE PROCEDURE

On signal, engage T1-T10 with two (2) rounds each and knock down P1-P3.

SCORING SCORING: Comstock, 23 rounds, 115 points TARGETS: 10 USPSA, 3 Poppers SCORED HITS: Best 2 per USPSA, steel down = 1A START-STOP: Audible - Last shot PENALTIES: Procedural. -10 Miss. -10



SETUP NOTES: Setup targets and walls as shown (use the 3' grid!). P1 & P2 should be available from their respective sides and through the middle. P2 should also be available from the strong side shooting box near the berm.


Pilfered

RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: Bud Connolly

START POSITION: Standing facing downrange with heels on start stick and wrists below belt. Handgun is loaded and

holstered. PCC is loaded with safety on and held in both hands, with butt on belt and muzzle pointed at cone.

Tee is fouded with safety of and field in both hands, with but of bet and indezle pointed at cone.		
STAGE PROCEDURE	SCORING	
On signal, draw and engage T1-T12 with two (2) rounds	SCORING: Comstock, 27 rounds, 135 points	
each and knock down P1-P3.	TARGETS: 12 USPSA, 3 Poppers	
	SCORED HITS: Best 2 per USPSA, steel down = 1A	
	START-STOP: Audible - Last shot	
	PENALTIES: Procedural10	
	No-shoot hit10	
	Miss10	




SETUP NOTES: Barrels block T3-T4 from left rear corner. Barrels block P1 from rear left opening. And right front barrels block P1 from right front opening.

Hijacked

RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: NISA

START POSITION: Standing with toes touching the start stick on either side. Handgun is loaded and holstered. PCC is loaded with safety on and held in both hands, with butt on belt and muzzle pointed safely downrange.

STAGE PROCEDURESCORINGOn signal, engage T1-T9 with two (2) rounds each and knock
down MP1-MP3.SCORING: Comstock, 21 rounds, 105 points
TARGETS: 9 USPSA, 3 Mini-Poppers
SCORED HITS: Best 2 per USPSA, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
No-shoot hit. -10
Miss. -10




SETUP NOTES: Set MP1- MP3 so that they are only visible through the port.

Taken

RULES: Practical Shooting Handbook, Latest Edition COURSE DESIGNER: Ed Henry

START POSITION: Standing directly behind barrel with palms flat on top of barrel. Handgun is loaded and holstered. PCC is loaded with safety on and held in both hands, with butt on belt and muzzle touching top of barrel.

STAGE PROCEDURESCORINGOn signal, engage T1-T8 with two (2) rounds each and knock
down USPSA Popper P1 & P2 and five (5) Plates.SCORING: Comstock, 23 rounds, 115 points
TARGETS: 8 USPSA, 2 Poppers, 5 PlatesSCORED HITS: Best 2 per USPSA, steel down = 1A
START-STOP: Audible - Last shot
PENALTIES: Procedural. -10
No-shoot hit. -10
Miss. -10



SETUP NOTES: Place Texas Star as close to rear berm as possible. Set forward fault line 8 yards from star. T5 should be placed to only be visible from the far-right front corner. Place double targets (T1/T2, T3/T4 & T6/T7) as low as possible on stand with one inch of No Shoot placed between the targets with only the upper A zone visible above the barrel. Targets T1-T4 & T6-T8 are placed as close as possible to the side berm. Start barrel is touching the fault line in line with the 8' wall set 3' from the right-side fault line. Barrels should completely block T6/T7 from the rear right side shooting area.

RO NOTES: None